

Amendments to the Claims:

1. (Currently amended) A liquid crystal display ~~apparatus, including assembly~~ comprising:
- a liquid crystal display panel having a polygonal flat shape and comprising upper and lower surfaces;
- an optical member affixed to the lower surface of the display panel, wherein the optical member has a periphery;
- a flexible illuminating member positioned under the optical member, wherein the illuminating member has a periphery corresponding to and approximately aligned with the periphery of the optical member; and
- an at least one adhesion member installed between the optical and illuminating members and extending along at least one edge of the peripheries of the optical and illuminating members, wherein the at least one adhesion member does not substantially extend to intersections of edges of the periphery of each of the optical and illuminating members at least one part among edges except corner parts at the flat portion of the liquid crystal panel.
2. (Currently amended) The ~~apparatus assembly~~ assembly of claim 1, wherein the at least one adhesion member ~~is a~~ comprises double-faced adhesive tape.
3. (Currently amended) The ~~apparatus assembly~~ assembly of claim 1, wherein the liquid crystal display panel ~~has a~~ is square flat shape.
4. (Currently amended) The ~~apparatus assembly~~ assembly of claim 1, wherein the at least one adhesion member is installed at two ~~parts opposed to each other among~~ opposing edges ~~except corner parts at the flat portion of the liquid crystal panel.~~
5. (Currently amended) The ~~apparatus assembly~~ assembly of claim 1, wherein the at least one adhesion member is installed at all opposing edges ~~except corner parts at the flat portion of the~~ crystal panel.

6. (Currently amended) The apparatus assembly of claim 1, wherein the liquid crystal panel the optical member is a reflection board and the illuminating member is a back light sheet adhered to the back light sheet through the medium of the adhesion member.

7. (Currently amended) The apparatus assembly of claim 6 1, further comprising a polarizing plate fastened to the upper surface of the liquid crystal display panel wherein the liquid crystal panel includes a reflecting plate positioned at one side.

8. (Cancelled) The apparatus of claim 7, wherein the adhesion member adhere the reflecting plate and the back light sheet.

9. (Currently amended) The apparatus assembly of claim 8 1, further comprising a frame, wherein the at least one adhesion member extends beyond the peripheries of the optical and illuminating members liquid crystal panel and back light sheet, thereby fastening the optical and illuminating members to the frame are fixed positioned at the supporting means, and at least one part of an adhesion member is protruded further than the periphery of the liquid crystal panel and back light sheet and adhered to the supporting means.

10. (Cancelled) The apparatus of claim 9, wherein the protruded portion of the adhesion member is composed of two parts.

11. (Currently amended) A mobile communication terminal, comprising:  
a transmission and reception means device positioned at one side of a case;  
an a plurality of input adjusting means devices exposed to external portion arranged on a surface of the case being adjusted by a user;  
a control means unit for outputting a driving signal according to an input signal of received from the manipulation of the plurality of input adjusting means devices at the same time when the signals are inputted and outputted, being connected to the transmission and reception means;

A3  
m  
x

a liquid crystal display driving means unit for receiving and converting the input and driving signals to letter and image information operated by the output signal of the control means;

a liquid crystal ~~panel positioned in display~~ installed on a surface of the case so that it can be shown from the outside, for displaying the letter or image information provided by the liquid crystal display driving means unit, wherein the liquid crystal display comprises:

a liquid crystal display panel having a polygonal shape and comprising upper and lower surfaces;

an optical member affixed to the lower surface of the display panel, wherein the optical member has a periphery;

a flexible illuminating member positioned under the optical member, wherein the illuminating member has a periphery corresponding to and approximately aligned with the periphery of the optical member; and

an at least one adhesion member installed between the optical and illuminating members and extending along at least one edge of the peripheries of the optical and illuminating members, wherein the at least one adhesion member does not substantially extend to intersections of edges of the periphery of each of the optical and illuminating members at least one part among edges except corner parts at the flat portion of the liquid crystal panel.

12. (Currently amended) The terminal of claim 11, wherein the liquid crystal panel display has a square flat shape and the at least one adhesion member is installed at two parts opposed to each other among opposing edges except corner parts at the flat portion of the liquid crystal panel.

13. (Currently amended) The terminal of claim 11, wherein the liquid crystal panel display has a square flat shape and the at least one adhesion member is installed at four parts opposed to each other among opposing edges except corner parts at the flat portion of the liquid crystal panel.

14. (Currently amended) The terminal of claim 11, wherein the liquid crystal panel display further comprises a frame fastened to the case; and

wherein the one or more adhesion members extend beyond the peripheries of the optical and illuminating members, thereby fastening the optical and illuminating members to the frame  
~~is adhered to the back light sheet through the medium of the adhesion member the liquid crystal panel and back light sheet are fixed positioned at the supporting means and at least one part of an adhesion member is protruded further than the periphery of the liquid crystal panel and back light sheet and adhered to the supporting means.~~

15. (Currently amended) The terminal of claim 11, wherein the at least one adhesion member ~~is a~~ comprises double-faced adhesive tape.

16. (New) The terminal of claim 11, further comprising a polarizing plate fastened to the upper surface of the liquid crystal display panel.

17. (New) The terminal of claim 11, wherein the optical member is a reflection board.

18. (New) The terminal of claim 11, wherein the illuminating member is a back light sheet.

19. (New) A liquid crystal display assembly comprising:  
a liquid crystal display panel having a polygonal shape and comprising upper and lower surfaces;  
a polarizing plate fastened to the upper surface of the liquid crystal display panel;  
a reflection board affixed to the lower surface of the display panel, wherein the reflection board has a periphery;  
a flexible back light sheet positioned under the reflection board, wherein the back light sheet has a periphery corresponding to and approximately aligned with the periphery of the reflection board; and

at least one adhesion member installed between the reflection board and the back light sheet and extending along at least one edge of the peripheries of the reflection board and the back light sheet, wherein the at least one adhesion member does not extend to intersections of edges of the periphery of each of the reflection board and the back light sheet.

20. (New) A liquid crystal display apparatus comprising:

a liquid crystal panel having front and rear surfaces;

a flexible backlight sheet for illuminating the liquid crystal panel, positioned facing the rear surface of the liquid crystal panel, the backlight sheet having a first plurality of corners;

AB end  
a reflection board positioned between the backlight sheet and the liquid crystal panel for reflecting light incident from the liquid crystal panel, the reflection board having a second plurality of corners oppositely facing the first plurality of corners respectively; and

connectors interposed along oppositely facing circumferential periphery of said backlight sheet and reflection board, wherein said corresponding first and second plurality of corners are not connected by way of the connectors.

21. (New) The apparatus of claim 20, wherein the connectors comprise adhesive material.

22. (New) The apparatus of claim 20, wherein the connectors are double-sided adhesive tapes.

---